




The New Standard For Residual Control Is Now Labeled For Soybeans

Benefits of Zidua® Herbicide

- Longest lasting residual control—up to two weeks longer than other herbicides
- New standard for use flexibility
- Use rates are as much as 10 times less than other brands
- Superior Palmer Amaranth and Waterhemp control

Zidua herbicide provides superior residual control and use flexibility in one product.

Broadleaf Weed Control



2011 photos of the full rate comparison at Rhower, AR. These were taken 20 DAT and the primary weed is Palmer Amaranth.

Technical Information Bulletin


 **BASF**
The Chemical Company

2011 Soybean Plots



SEREC-Rhower, AR. Dr. Ken Smith-20 DAT.

Glyphosate Resistant Waterhemp Control



In the photo on the right, Zidua was applied at 2.5 oz/A and Sharpen was applied at 1 fl oz/A. UI Field Trial (SWHZIDUA) Central, IL. Preemergence (41 DAT). Photos taken 06-29-11.



Best Use Recommendations

Use Rate: 1.5–3.5 oz/A

Labeled Crops: Corn, Soybean

Application Timing: Fall, Preplant, Preemergence and Postemergence

- Use rate is dependent on soil texture and application timing. Please consult label for appropriate application rate in your field.

Weeds Controlled or Suppressed:

Grasses and Sedges

- | | |
|---------------------------|---------------------|
| ■ Broadleaf signalgrass | ■ Panicum spp. |
| ■ Bromus spp. | ■ Ryegrass spp. |
| ■ Crabgrass spp. | ■ Shattercane |
| ■ Goosegrass | ■ Wild proso millet |
| ■ Foxtail spp. | ■ Woolly cupgrass |
| ■ Johnsongrass (seedling) | ■ Yellow Nutsedge |

Broadleaf Weeds

- | | |
|-------------------------|-------------------|
| ■ Carpetweed | ■ Palmer amaranth |
| ■ Common ragweed | ■ Pigweed spp. |
| ■ Kochia | ■ Prickly sida |
| ■ Lambsquarters | ■ Velvetleaf |
| ■ Marestail (horseweed) | ■ Waterhemp |
| ■ Morningglory spp. | ■ Wild Buckwheat |
| ■ Nightshade spp. | |

General Information:

- Zidua® may be applied in water or in sprayable liquid nitrogen fertilizer solutions. Zidua may also be applied impregnated on dry bulk fertilizers.
- A minimum of 1/2" of rainfall or overhead irrigation is required following application and prior to weed emergence for optimal performance.



Always read and follow label directions

Zidua and Sharpen are registered trademarks of BASF.
 ©2013 BASF Corporation. All Rights Reserved. APN# 1303007 Zidua-Soybeans-MidSouth
 For the complete BASF Ag Products Portfolio visit: <http://agproducts.basf.us>

