



We create chemistry [Carton Text]

Bacillus subtilis strain BU1814
Bacillus amyloliquefaciens
strain MBI 600

Group 44 Fungicide

Vault[®] IP Plus

FINAL

Biofungicide/Inoculant Seed Treatment

For commercial and on-farm use

Seed treatment for disease suppression in and liquid inoculant for soybeans

Active Ingredients: (Component A)

<i>Bacillus subtilis</i> strain BU1814*	1.706%
<i>Bacillus amyloliquefaciens</i> strain MBI 600**	3.132%
Other Ingredients:	95.162%
Total:	100.000%

*Component A contains a minimum of 1.4×10^9 colony forming units per mL

**Component A contains a minimum of 1.4×10^{10} colony forming units per mL

Contains nonplant food ingredients

Soil Amending Guaranteed Analysis

Ingredient: (Component B)

<i>Bradyrhizobium japonicum</i> ***	100.000%
Total:	100.000%

***Component B contains a minimum of 1.0×10^{10} colony forming units per mL

EPA Reg. No. 71840-31

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See booklet for complete **First Aid**, **Precautionary Statements**, **Directions For Use**, and **Conditions of Sale and Warranty**.

You may contact BASF Corporation for emergency medical treatment information at 1-800-832-HELP (4357).

Net Contents: ___ x ___ fl oz {qt} Component A of Vault IP Plus
___ x ___ qt {gal} Component B of Vault IP Plus

Batch Code:

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709



We create chemistry

Bacillus subtilis strain BU1814
Bacillus amyloliquefaciens
strain MBI 600

Group **44** Fungicide

[Booklet/Base Label attached to Component A]

Component A of Vault[®] IP Plus

**Biofungicide Seed Treatment
Used With A Rhizobial Inoculant**

For commercial and on-farm use

**Seed treatment for disease suppression in and used with a liquid
inoculant for soybeans**

Active Ingredients: (Component A)

Bacillus subtilis strain BU1814* 1.706%

Bacillus amyloliquefaciens strain MBI 600** 3.132%

Other Ingredients: 95.162%

Total: 100.000%

*Component A contains a minimum of 1.4×10^9 colony forming units per mL

**Component A contains a minimum of 1.4×10^{10} colony forming units per mL

EPA Reg. No. 71840-31

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See booklet for complete **First Aid, Precautionary Statements, Directions For Use,**
and **Conditions of Sale and Warranty.**

**You may contact BASF Corporation for emergency medical treatment information
at 1-800-832-HELP (4357).**

Net Contents: ____ x ____ fl oz Component A of Vault IP Plus

Batch Code:

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709

First Aid
Hotline Number
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information at 1-800-832-HELP (4357).

Precautionary Statements

Personal Protective Equipment (PPE)

The PPE requirements below apply to both Worker Protection Standard (WPS) uses (in general, agricultural-plant uses are covered by the Worker Protection Standard (40 CFR Part 170)) and Non-WPS uses.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Mixers/loaders and applicators must wear a NIOSH-approved particulate respirator with any N, R, or P filter with NIOSH approval number prefix TC-84A; or a NIOSH-approved powered air purifying respirator with an HE filter with NIOSH approval number prefix TC-21C. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

When handlers use closed systems in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.607(d)), the handler PPE requirements may be reduced or modified as specified in the WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

For terrestrial uses: **DO NOT** apply directly to water, or to areas where surface water is present or to intertidal areas

below the mean high-water mark. **DO NOT** contaminate water when disposing of equipment washwater or rinsate.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **4 hours**.

Exception: If the treated seeds are planted in the soil, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water) is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treatment area until seeds have dried or been packaged.

In Case of Emergency

In case of large-scale spill of this product, call:

- CHEMTREC 1-800-424-9300
- BASF Corporation 1-800-832-HELP (4357)

In case of medical emergency regarding this product, call:

- Your local doctor for immediate treatment
- Your local poison control center (hospital)
- BASF Corporation 1-800-832-HELP (4357)

Product Information

Vault® IP Plus contains two components in separate containers: **Component A** and **Component B**.

Component A consists of:

- Two biofungicide active ingredients, *Bacillus subtilis* strain BU1814 and *Bacillus amyloliquefaciens* strain MBI 600

Bacillus subtilis strain BU1814 rapidly colonizes germinating seeds and the developing root system. The same bacteria quickly produce a beneficial biofilm and antimicrobial components promoting Induced Systemic Resistance (ISR) within the plant. This results in suppression of disease organisms that attack such root systems (e.g., *Fusarium* spp. and *Rhizoctonia solani*).

Bacillus amyloliquefaciens strain MBI 600 initially colonizes germinating seeds. The same bacteria then colonize the developing root systems of plants and suppress disease organisms that attack such root systems (e.g., *Fusarium* spp., *Rhizoctonia* spp., and, under some conditions, *Pythium ultimum*).

Component B consists of:

- *Bradyrhizobium japonicum* – an on-seed inoculant product that delivers a high concentration of beneficial rhizobia bacteria to the soybean plant.

When combined as **Vault IP Plus**, the differential modes of action of the two biological actives with the rhizobial inoculant can contribute to complementary activity with certain chemical seed treatments, resulting in increased and more uniform field performance. Both biofungicide active components grow along the developing root system and can extend the window of disease protection longer into the growing season. The plants produce a more vigorous root system, which often results in more uniform stands, overall improved plant growth and greater yield potential.

Label statement required by the State of Oregon

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

Application Instructions

Vault IP Plus can be used in commercial seed treatment facilities and on-farm. **DO NOT** use for applications at hopper box and planter box. For use with commercial treatment application equipment only.

Mixing Instructions: Apply **Vault IP Plus** as a water-based slurry alone or with other seed treatment products (fungicides, insecticides, nematicides, fertilizers, and rhizobial inoculants). **DO NOT** mix **Vault IP Plus** with any copper-based products. For specific use rate information, see the **Standard Mixing and Application Rate Information** table.

Prior to mixing, determine physical compatibility by mixing proportional quantities of the products in water. **DO NOT** mix **Vault IP Plus** with any other seed treatment product that bears a label prohibition against such mixing. When tank mixing **Vault IP Plus** with any other seed treatment product, observe the most restrictive of the labeling limitations and precautions of all products used in mixtures.

ATTENTION: Use only cool, chlorine-free water in the tank mix. If one or more treatments are not physically compatible (harmful), mix those products in, and apply them from, a separate mix tank.

When applying **Vault IP Plus** as a stand-alone treatment, addition of water is needed to obtain the desired application rate of 5.0 fl oz / CWT of seed. See **Standard Mixing and Application Rate Information** table for more details.

When tank mixing **Vault IP Plus** with other additional seed treatments, the total liquid volume of all treatments being applied to the seed is typically equal to or greater than 5.0 fl oz / CWT of seed. No additional water is needed for these tank mixes. If, however, the total liquid volume is less than 5.0 fl oz / CWT of seed, a sufficient amount of water is needed to attain a minimum application rate of 5.0 fl oz / CWT of seed.

To mix, first add the other seed treatment product(s) to the mix tank with approximately ½ of the required water. Slowly add **Vault IP Plus Components A and B** to the slurry until a uniform suspension is obtained. Add the remainder of the water while maintaining constant agitation. **DO NOT** store mixed slurries for longer than 24 hours.

Some ingredients in **Vault IP Plus** may not completely solubilize; therefore, it is important to maintain a uniform suspension by continuously agitating the solution throughout the application process. **DO NOT** exceed label application dosage rates.

Some seed treatment formulations can be harmful to the rhizobia in **Vault IP Plus**. Please consult your distributor or BASF representative before applying this product with

any other seed treatment product. Please observe the planting window recommendations of individual treatments for optimal product responses.

For maximum on-seed survival and viability of rhizobia, mix and apply **Vault® IP Plus** Biofungicide and Rhizobial Inoculant components in a tank separate from any other seed treatment products.

Standard Mixing and Application Rate Information					
Pounds of Soybean Seed to Treat	Amount of Component A - Biofungicide	Amount of Component B - Rhizobial Inoculant	Amount of Cool, Non-Chlorinated Water	Final Application Rate (fl oz slurry / CWT seed)	Final Application Rate (fl oz slurry / 140K seed count unit)
When Applying Vault IP Plus with Other Additional Seed Treatments*					
10,000	10.0 fl oz (one bottle)	100 fl oz (one bladder)	0	1.1 fl oz / CWT seed***	0.51 fl oz per 140K seed count unit***
5,000	5.0 fl oz (one bottle)	50 fl oz (one bladder)	0	1.1 fl oz / CWT seed***	0.51 fl oz per 140K seed count unit***
When Applying Vault IP Plus as a Stand-alone Treatment**					
10,000	10.0 fl oz (one bottle)	100 fl oz (one bladder)	390 fl oz	5.0 fl oz / CWT seed***	2.32 fl oz per 140K seed count unit***
5,000	5.0 fl oz (one bottle)	50 fl oz (one bladder)	195 fl oz	5.0 fl oz / CWT seed***	2.32 fl oz per 140K seed count unit***
NOTE – If TOTAL application volume of all seed treatments being applied to the seed (including Vault IP Plus volume of 1.1 fl oz / CWT of seed) is less than 5.0 fl oz / CWT of seed, add sufficient volume of non-chlorinated water to the Vault IP Plus to achieve a TOTAL application volume of at least 5.0 fl oz / CWT of seed in order to ensure uniform seed coverage.					
* When total liquid volume of all treatments being applied to the seed is equal to or greater than 5.0 fl oz / 100 CWT of seed, DO NOT add any water to the Vault IP Plus mixture. ** When applying Vault IP Plus without additional seed treatments, it is required to add non-chlorinated water to attain a total liquid application rate of 5.0 fl oz / 100 CWT of seed. *** At average 3,000 seeds per pound					

STORAGE AND DISPOSAL
DO NOT contaminate water, food, or feed by storage or disposal. Pesticide Storage Ensure container closures are tight. Store in a cool, dry place. Pesticide Disposal To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry). Container Handling Nonrefillable container. DO NOT reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Add water - at least 2% of the container volume, and up to 1/3 of the volume of water needed to make the proper slurry composition with a maximum of 1/4 of the container volume, and recap. Shake for 30 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this

STORAGE AND DISPOSAL <i>(continued)</i>
Container Handling <i>(continued)</i> procedure two more times. If used in application equipment, adjust the slurry volume application rate to account for any added rinsate water. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer or contact the Ag Container Recycling Council at 1-877-952-2272 or www.acrecycle.org. Alternatively, puncture and dispose of in a sanitary landfill or by incineration. DO NOT burn, unless allowed by state and local ordinances. If burned, stay out of smoke. Follow the same procedures as above for the plastic bladders containing only the rhizobial inoculant. Regarding the carton, offer for recycling if available or dispose of it in a sanitary landfill.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as the presence of other or untested or unapproved materials, seed of low quality or low vigor or low germination, use of the product in a manner inconsistent with its labeling, misapplication of this product, or weather conditions at planting or environmental conditions during seed storage, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THIS PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** that may be varied only by agreement in writing signed by a duly authorized representative of BASF.

***Vault** is a registered trademark of BASF.*

© 2020 BASF Corporation
All rights reserved.

071840-00031.20200603.**NVA 2020-04-545-0099**

Based on: NVA 2019-04-545-0060

Supersedes: NVA 2018-04-545-0046

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



We create chemistry



We create chemistry

[Text printed on bladder of Component B. Text is limited due to limitations in inkjet technology]

Component B of Vault[®] IP Plus

EPA Reg. No. 71840-31

Batch Code: